

FLORIKAN MAX

Homogeneous Micro Nutrient Mix

GUARANTEED ANALYSIS:

| Magnesium (Mg) | 14.00% |
|------------------------------------|--------|
| 4.00% Water Soluble Magnesium (Mg) | |
| Sulfur (S) | 7.60% |
| 7.60% Combined Sulfur (S) | |
| Copper (Cu) | 0.68% |
| 0.00% Water Soluble Copper (Cu) | |
| Iron (Fe) | 17.81% |
| 1.43% Chelated Iron (Fe) | |
| 5.51% Water Soluble Iron (Fe) | |
| Manganese (Mn) | 1.33% |
| 0.0% Water Soluble Manganese (Mn) | |
| Molybdenum (Mo) | 0.19% |
| 0.0% Water Soluble Molybdenum (Mo) | |
| Zinc (Zn) | 0.68% |
| 0.00% Water Soluble Zinc (Zn) | |
| Boron (B) | 0.02% |
| | |

<u>DERIVED FROM:</u> Ferrous Sulfate, Iron Sucrate, Iron EDTA, Iron Citrate, Magnesium Sulfate, Magnesium Sucrate, Manganese Sucrate, Zinc Sucrate, Copper Sucrate, Sodium Borate and Sodium Molybdate

The below rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

| INCORPORATION RATES - LBS PER CUBIC YARD | | | | | | | |
|--|--------------------|-----|------|-------|--|--|--|
| | LOW MED HIGH HEAVY | | | | | | |
| LBS | 1.5 | 3 | 4 | 5 | | | |
| BROADCAST RATES - LBS PER 1000SQFT | | | | | | | |
| | LOW | MED | HIGH | HEAVY | | | |

NOTE: low/med/high is crop specific information. HIGH refers to heavy feeding crop, LOW is for sensitive feeding crop.

Conversion

5 Grams = 1 Teaspoon | 15 Grams = 1 Tablespoon

| TOP DRESS RATES - GRAMS PER CONTAINER | | | | | | |
|---------------------------------------|-----|-----|------|-------|--|--|
| VOL | LOW | MED | HIGH | HEAVY | | |
| 1 GAL | 2 | 3 | 4 | 5 | | |
| 3 GAL | 6 | 8 | 10 | 12 | | |
| 7 GAL | 13 | 18 | 22 | 25 | | |
| 10 GAL | 16 | 20 | 25 | 30 | | |
| 15 GAL | 18 | 22 | 28 | 35 | | |
| 20 GAL | 26 | 34 | 45 | 52 | | |
| 25 GAL | 30 | 40 | 50 | 65 | | |
| 45 GAL | 55 | 75 | 95 | 110 | | |
| 65 GAL | 81 | 109 | 140 | 162 | | |
| | | | | | | |

SKU: FLORIKAN-MAX-50

U.S. STANDARD - NET WEIGHT 50 LB. (22.68 KG.)



Signal Word: WARNING

Hazard Statement: Harmful if swallowed or inhaled - causes skin & serious eye irritation - may cause respiratory irritation - may cause damage to organs through prolonged exposure - toxic to aquatic life with long lasting effects Precautionary Statement: Do not inhale - use in well ventilated area - wear gloves & eye/face protection - avoid release to the environment - wash thoroughly after handling - do not eat, drink, or smoke while using - call doctor/poison control if swallowed/ inhaled, feel sick after handling, skin/eyes become irritated - collect spillage - wash contaminated clothes prior to reuse - store locked up and in well ventilated place - keep container tightly closed - dispose per US laws



GUARANTEED BY: F1062

QUALITY CONTROL BATCH NUMBER:

WARNING TO PURCHASER, THIS IS A
DISCLAIMER. The performance warranty and/
or release of this product, whether stated or
implied, is null and void if improperly stored.

Heavy Metal Statement: Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

CAUTION: KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED. This produc must be stored under cool and dry conditions.

Environmental Caution: As a precaution, fertilizer products should not be applied within 10 feet of any water body.

Caution: The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING: This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hydroscopic and may be affected by humidity and/or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.