



Total Nitrogen (N)*	18%
9.70% Ammoniacal Nitrogen	
8.30% Nitrate Nitrogen	
Available Phosphate (P ₂ O ₅)*	6%
Soluble Potash (K,O)*	8%
Magnesium (Mg)	1.20%
1.20% Water Soluble Magnesium (Mg)	
Sulfur (S)*	4.00%
4.00% Combined Sulfur	
Boron (B)* Copper (Cu)	0.02%
Copper (Cu)	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)	0.20%
0.20% Chelated Iron (Fe)	
Manganese (Mn)	0.06%
0.06% Water Soluble Manganese (Mn)	
Molybdenum (Mo)*	0.02%

DERIVED FROM: Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Sulfate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate | *All the materials have been polymer coated to provide 18% Slow Release Nitrogen (N), 6% Slow Release Available Phosphate (P,O_c), 8% Slow Release Soluble Potash (K₂O), 1.2% Slow Release Magnesium (Mg), 4% Slow Release Sulfur (S), 0.02% Slow Release Boron (B), 0.05% Slow Release Copper (Cu), 0.2% Slow Release Iron (Fe), 0.06% Slow Release Manganese (Mn), and 0.02% Slow Release Molybdenum (Mo).

The below rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the right product for your crop and conditions.

	LOW	MED	HIGH	HEAVY
LBS	4.5	8.0	11.0	14.0
BROADCAST RATES - LBS PER 1000SQFT				
LOW MED HIGH HEAVY				
LBS	8.8	9.7	10.0	n/a

INCORPORATION RATES - LBS PER CUBIC YARD

NOTE: low/med/high is crop specific information. HIGH refers to heavy feeding crop, LOW is for sensitive feeding crop.

Conversion

5 Grams = 1 Teaspoon | 15 Grams = 1 Tablespoon

TOP DRESS RATES - GRAMS PER CONTAINER					
VOL	LOW	MED	HIGH	HEAVY	
1 GAL	10	15	25	35	
3 GAL	25	35	50	70	
7 GAL	45	55	80	110	
15 GAL	75	100	150	180	
25 GAL	100	150	200	250	
45 GAL	150	250	350	420	
65 GAL	235	375	525	630	
95 GAL	250	450	625	750	

Made In Japan



This product contains technology to grow more ecologically. Use of this product helps raise awareness about the influence of sustainable principles for the future and environmental advocacy by Florikan.

SKU: 18-6-8-140

U.S. STANDARD NET WEIGHT 50 LB. (22.68 KG.)



Signal Word: WARNING

Hazard Statement: Harmful if swallowed or inhaled - causes skin & serious eye irritation

Precautionary Statement: Do not inhale - wash skin thoroughly after handling product - do not smoke, drink or eat when using product handle in well-ventilated areas - wear gloves & eye/face protection - call doctor/poison control if swallowed/inhaled, feel sick after handling, skin/eyes become irritated - wash contaminated clothes prior to reuse - dispose per US laws



813430010781

140 DAYS

at avg soil temperature of 77°F

AVG MEDIA TEMPS

70°		80°		90°		
170	5.5	140	4.5	110	3.5	
Days/N	M nths	Days/Mnths		Days/Mnths Days/Mn		Inths

GUARANTEED BY: F1062

QUALITY CONTROL BATCH NUMBER:

WARNING TO PURCHASER, THIS IS A DISCLAIMER. The performance warranty and/ or release of this product, whether stated or implied, is null and void if improperly stored.

Heavy Metal Statement: Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

CAUTION: KEEP OUT OF THE REACH OF CHILDREN HARMFUL IF SWALLOWED. This produc must be stored under cool and dry conditions.

Environmental Caution: As a precaution. fertilizer products should not be applied within 10 feet of any water body.

Caution: The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING: This product contains Boron (B) and should be used according to directions only, especially on crops sensitive to Boron (B) uptake

NOTE: Fertilizer products can be hydroscopic and may be affected by humidity and/or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.